


MR-16: **LN-10 ALR**

Wattage: 10W


Beam Spread: 21°



MR-16: **LN-10 AEC**

Wattage: 10W


Beam Spread: 32°



MR-16: **LN-20 ESX**

Wattage: 20W


Beam Spread: 12°



MR-16: **LN-20 BAB**

Wattage: 20W


Beam Spread: 36°



MR-16: **LN-20 BAB/60**

Wattage: 20W


Beam Spread: 60°



MR-16: **LN-20 BBF**

Wattage: 20W


Beam Spread: 24°



MR-16: **LN-35 FMT**

Wattage: 35W


Beam Spread: 12°



MR-16: **LN-35 FMV**

Wattage: 35W


Beam Spread: 24°



MR-16: **LN-35 FMW**

Wattage: 35W


Beam Spread: 36°



MR-16: **LN-35 FMW/60**

Wattage: 35W


Beam Spread: 60°



MR-16: **LN-42 EYR**

Wattage: 42W


Beam Spread: 12°



MR-16: **LN-42 EYS**

Wattage: 42W


Beam Spread: 25°



MR-16: **LN-42 EYP**

Wattage: 42W


Beam Spread: 40°



MR-16: **LN-50 EXT**

Wattage: 50W


Beam Spread: 12°



MR-16: **LN-50 EXZ**

Wattage: 50W


Beam Spread: 24°



MR-16: **LN-50 EXN**

Wattage: 50W


Beam Spread: 36°



MR-16: **LN-35 FMV**

Wattage: 35W


Beam Spread: 24°



MR-16: **LN-75 EYF**

Wattage: 75W


Beam Spread: 12°



MR-16: **LN-75 EYJ**

Wattage: 75W


Beam Spread: 24°



MR-16: **LN-75 EYC**

Wattage: 75W

Beam Spread: 36°




MR-16: **LN-75 EYC/60**

Wattage: 75W

Beam Spread: 60°




MR-16 Ultra 10,000 Hour



MR-16: **LNU-35 FMV**

Wattage: 35W


Beam Spread: 24°



MR-16: **LNU-35 FMW**

Wattage: 35W


Beam Spread: 36°



MR-16: **LNU-50 EXT**

Wattage: 50W


Beam Spread: 12°



MR-16: **LNU-50 EXZ**

Wattage: 50W

Beam Spread: 24°




MR-16: **LNU-50 EXN**

Wattage: 50W

Beam Spread: 36°




MR-16 LED Lamps



MR-16 LED: **LN-16-4.5-W-15-LED**

Wattage: 4.5W


Beam Spread: 15°



MR-16 LED: **LN16-4.5-W-25-LED**

Wattage: 4.5W


Beam Spread: 25°



MR-16 LED: **LN16-4.5-W-36-LED**

Wattage: 4.5W


Beam Spread: 36°



LED MR-16: **LN16-4.5-W-60-LED**

Wattage: 4.5W


Beam Spread: 60°



MR-16 LED: **LN-16-5.5-W-15-LED**

Wattage: 5.5W


Beam Spread: 15°



MR-16 LED: **LN16-5.5-W-25-LED**

Wattage: 5.5W


Beam Spread: 25°



MR-16 LED: **LN16-5.5-W-36-LED**

Wattage: 5.5W

Beam Spread: 36°



MR-16 LED: **LN16-5.5-W-60-LED**

Wattage: 5.5W

Beam Spread: 60°