

# SPECIFICATION SHEET

## PRODUCT # : CL-616-BK

•Area Lights

• Aluminum

### Fixture Specifications:

**Housing:** Die-cast aluminum.

**Stem:** Die-cast aluminum stem, with 1/2 NPT hub on bottom.

**Finish:** Polyester UV powder coated, in **BK**- Black. Also available in **BZ**- Bronze and **GT**- Granite

**Lens:** Clear polycarbonate sprinkler guard lens, to provide weather protection.

**Socket:** S.C. bayonet socket with, easy tool free lamp access.



**Lamp:** 12V S.C Bayonet LED.  
Available in 3W Bluetooth Mesh smart RGB-WW; 2W, 2.5W LED or without lamp.  
See the Lamp Guide below for more information.

**Wiring:** Fixture is prewired with a 3-ft 18-2 SPT2-W direct burial cord. Wire connector sold separately. Quick-locking connectors are available from Corona Lighting (**CX-LOC**) find details on page 3.

**Mounting Spike:** Black 8 1/2" ABS spike with 1/2" NPT male hub on top

**Electrical Notes:** A remote 12V transformer is required. See page 3 for available options. Voltage range for BT lamps are 9-17V, LED are 8-21V. Proper grease/lubricant is suggested on threaded parts during installation process.

**Warranty:** Limited one (1) year warranty on fixture housing and stem against manufacturer's defects.



### AVAILABLE LED LAMPS (Corona LED lamps have a five (5) year limited warranty against manufacturer's defects)

LAMP NUMBER	WATTS	BEAM		COLOR & TEMP.	RATED HOURS	HALOGEN EQUIVALENT
		SPREAD	LUMEN			
L-EDBA-3W-BT	0.5-3	360°	10-200	2200K - 5700K	50,000	---
L-EDBA-2W	2	360°	200	2700K	25,000	20 Watt
L-EDBA-2.5W	2.5	180°	240	2700K	25,000	35 Watt
L-EDBA-2W-3K	2	360°	210	3000K	25,000	20 Watt
L-EDBA-2.5W-3K	2.5	180°	250	3000K	25,000	35 Watt
L-EDBA-AM*	2	360°	170	2000K	25,000	20 Watt

\* AM- Amber color  
For more additional Lamps, and accessories visit [Coronalighting.com](http://Coronalighting.com)

### JOB INFORMATION

TYPE: \_\_\_\_\_ DATE: \_\_\_\_\_

JOB NAME & ADDRESS: \_\_\_\_\_

PRODUCT #: \_\_\_\_\_

TOTAL QUANTITY: \_\_\_\_\_

LAMP TYPE & WATTAGE: \_\_\_\_\_

TRANSFORMER: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

SPECIFIER: \_\_\_\_\_

• When ordering LED lamp with a fixture your part number should follow the format below:

• **CL** - **product #** - **color** - **lamp** - **wattage**  
CL - 616 - BK - L-EDBA - 2W-3K

Example: CL-616-BK-L-EDBA-2W-3K

• Corona Lighting reserves the right to make any change and/or improvement to the design and construction of this fixture without further notification.

# ACCESSORIES SHEET


## PRODUCT # : CL-616-BK

•Area Lights

•Aluminum

### Mounting Pedestals

- CX-601-BK 1" PVC Mounting Pedestal, 1/2" NPT, **Black**
- CX-601-VG 1" PVC Mounting Pedestal, 1/2" NPT, **Verde Green**
- CX-603-BK 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Black**
- CX-603-VG 3" PVC Mounting Pedestal, 1/2" NPT Female Brass Hub on top, **Verde Green**



- CX-604-BK 1" PVC Adjustable Mounting Pedestal, 1/2" NPT, **Black**
- CX-621-BK 1" PVC Cap, 1/2" NPT, **Black**
- CX-621-VG 1" PVC Cap, 1/2" NPT, **Verde Green**
- CX-622-BK 2" PVC Cap, 1/2" NPT, **Black**
- CX-622-VG 2" PVC Cap, 1/2" NPT, **Verde Green**
- CX-624-BK 3" PVC Cap, 1/2" NPT Female Brass Hub, **Black**
- CX-624-VG 3" PVC Cap, 1/2" NPT Female Brass Hub, **Verde Green**

### Mounting Canopies

- CX-703 Aluminum tree mount canopy 1/2 NPT  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White




- CX-709 Aluminum canopy 1/2 NPT  
Finishes: **BK**- Black, **BZ**- Bronze, **GT**- Granite,  
**SI**- Silver, **WH**- White



### Ground Spikes

- CX-642-BK 8.5" ABS Spike, 1/2" NPT, **Black**
- CX-642-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**
- CX-643-BZ 8.5" ABS Spike, 1/2" NPT, **Bronze**



- CX-646-BK 8" ABS Spike, 1/2" NPT, **Black**
- CX-646-BR 8" ABS Spike, 1/2" NPT, **Natural Brass**
- CX-646-SS 8" ABS Spike, 1/2" NPT, **Stainless Steel**
- CX-647-BK 10.5" Heavy Duty ABS Spike, 1/2" NPT, **Black**

### Mounting Risers

- CX-671 6" Aluminum Riser, 1/2 NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White
- CX-672 12" Aluminum Riser, 1/2 NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White
- CX-673 18" Aluminum Riser, 1/2 NPT Male/Female  
Finishes: **BK**- Black, **BZ**- Bronze, **GR**- Green,  
**GT**- Granite, **RT**- Rust, **VG**- Verde Green,  
**WH**- White



**PRODUCT # : CL-616-BK**

•Area Lights


• Aluminum

**Mounting Brackets**


CX-700 Aluminum Bracket, 1/2" NPT  
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green,  
**GT-** Granite, **RT-** Rust, **VG-** Verde Green,  
**WH-** White

CX-704 Aluminum Bracket, 1/2" NPT  
Finishes: **BK-** Black, **BZ-** Bronze, **GR-** Green,  
**GT-** Granite, **RT-** Rust, **VG-** Verde Green,  
**WH-** White

**CX-704-BK**





**CX-700-BK**



**Cable Connectors**

CX-LOC Quick-locking Cable Connectors, Tan  
[\(Installation Instructions\)](#)



**Stainless Steel Pool and Spa Rated Transformers**

- T-LTF60 60W, 12V, Compact Mini Transformer
- T-LT75 75W, 12 and 15V, Single Circuit Transformer w/ Integrated Mechanical Timer.
- T-LT150 150W, 12-15V, Single Circuit Transformer.
- T-LT300 300W, 12-15V, Single Circuit Transformer.
- T-LT600 600W, 12-15V, Dual Circuit Transformer.
- T-LT900 900W, 12-22V, Triple Circuit Transformer.
- T-FIDT Field Installed Plug-in Digital Timer.
- T-FIT Field Installed Plug-in Mechanical Timer.
- T-TR-FIP Field Installed Plug-in Photocell

**CX-LOC**



**T-LT75**



**T-FIDT**



**T-LT300**