



landscape • entertainment • architectural • hospitality • illumination

DL-22 DIRECTIONAL LIGHTS





DIRECTIONAL LIGHTS DL-22-SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Cast aluminum, brass or 316 Stainless Steel Bullet; matching heavy duty cast aluminum, brass or 316 Stainless Steel adjustable swivel

LENS: High impact clear tempered convex glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating (50w max)

LAMP OPTIONS: We recommend 50,000 hour ARROW 4w LED (-LED) or 40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver LED

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
For 25 foot 16/2 fixture lead wire add -25F to catalog number.



CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake threaded 1/2" NPS

FINISH: Aluminum-Black texture polyester powder coat. Optional finishes available.
Brass-Unfinished brass. Optional finishes available. Stainless Steel - machined finish

ORDERING INFORMATION

| CATALOG NO. | DESCRIPTION | LAMP | SHIP WEIGHT |
|---------------|-------------------------------------|------------------|-------------|
| DL-22-BLT | Cast aluminum Bullet | 20w MR16 FL(BAB) | 2.0 lbs. |
| DL-22-BRS | Cast brass Bullet | 20w MR16 FL(BAB) | 3.0 lbs. |
| DL-22-SS | Cast Stainless Steel Bullet | 20w MR16 FL(BAB) | 2.0 lbs. |
| DL-22-XEC-BLT | Cast aluminum Bullet, X-long collar | 20w MR16 FL(BAB) | 2.0 lbs. |
| DL-22-XEC-BRS | Cast brass Bullet, X-long collar | 20w MR16 FL(BAB) | 4.0 lbs. |



DL-22-BRS
mounted on
FA-24-BRS



MOUNTING ACCESSORIES

BEAM/GLARE CONTROL ACCESSORIES

| | |
|-------------|--|
| FA-08-21 | Round 1/8" Hex Cell Louver |
| FA-11-BLUE | Blue Tempered Glass Lens |
| FA-11-GREEN | Green Tempered Glass Lens |
| FA-98 | Linear Spread Tempered Glass Lens |
| FA-99 | High Impact Clear Tempered Convex Glass |
| FA-104 | Wide Spread Tempered Glass Lens Softener |

JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____

FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630
www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT | -ATV | -BRT | -CAM | -WTX | -HTX | -RST | -WIR | -WBR | -STU | -RBV | -CPR | -BAR/CAR | -BAV/CAV | -BAT |




DIRECTIONAL LIGHTS DL-22-SERIES




TYPE


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13W-FG




FL-13-BAB-FG




FL-13-ESX-FG




FL-13-VWFL-FG




FL-15-FMW-60-FG




**FL-15-FMW-FG
FL-15-FMW-ULTRA**




FL-15-FMT-FG




**FL-15-FMV-FG
FL-15-FMV-ULTRA**




**FL-10-EXN-FG
FL-10-EXN-ULTRA**




**FL-10-EXT-FG
FL-10-EXT-ULTRA**




FL-10-VWFL-FG




FL-10-EXZ-ULTRA




FL-13-EYC-FG



FL-20-EYF-FG



FL-LED-MR16-BAB



FL-LED-MR16-ESX

| Black Texture (Standard) | Antique Verde | Bronze Texture | Camel | White Texture | Hunter Texture | Rust | Weathered Iron | Weathered Brown | Stucco | Rubbed Verde | Chrome Powder | Acid Rust | Acid Verde | Black Acid Treatment |
|--------------------------|---------------|----------------|-------|---------------|----------------|------|----------------|-----------------|--------|--------------|---------------|-----------|------------|----------------------|
| -BLT | -ATV | -BRT | -CAM | -WTX | -HTX | -RST | -WIR | -WBR | -STU | -RBV | -CPR | -BAR/CAR | -BAV/CAV | -BAT |